

MADE IN EUROPE



This product has been developed and manufactured using both raw materials and with production in Europe.

Choose quality, save money, and protect the environment.

(UK) User Manual

39_20230309_UK

Master Comfort Back Wedges

Top Class Positioning Wedges



-
-

Article no.	HMI no.	Name - Size	UDI-DI/GTIN
MC 001-8070	28035	Master Comfort Back Wedge - Short	5744001971635
MC 001-8075	28036	Master Comfort Back Wedge - Long	5744001971666

Regulation MDR 2017/745 for medical devices class 1



ISO 09 07 06 07

The Original Nordic Human Handling Concept



Developed & Manufactured by:



Thank you for choosing a product from master care A/S.

We recommend reading the user manual thoroughly before using the product (-s).

The information in this user manual applies to the shown products provided that the products have not been modified or customized and that the products have been used as recommended in this user manual.

If the customer changes, repairs or uses the product in other combinations than recommended by master care A/S the CE-approval no longer applies and the guarantee becomes void.

In case of doubt, contact master care A/S or our distributor in your area.

MDR (EU) 2017/745:

Products in this user manual are CE-approved and follows the harmonized standards. This means that the products are in compliance with the essential health and safety directives. The product(-s) comply with the standards in the Medical Device Regulation MDR (EU) 2017/745 – Class 1.

The intended use of the product/-s:

The product is used to support and reduce pressure on the tissue while repositioning a user or when lying in bed. Wedges with anti-slide on the underside can be used directly on slippery surfaces.

Correct use of the product:

The Master Comfort products can be placed between the user and the area of support and thereby reduce the pressure on the skin. Alternatively, the products can be used to support the sitting position or when lying on the side to prevent falling forward or backwards.

Warning:

The use of pillows and wedges can't replace the need of frequent repositioning and daily skin assessment.

Risk assessment:

Always make a risk assessment and a functional assessment of the user prior to using the product. This way using the product for transferring or moving a user, is ergonomic and legally sound.

Knowledge of the product/transferring:

It is important that the user of the product has been properly instructed in the use of the product and has read the user manual thoroughly prior to using the product.

master care A/S provide education in the use of products and on our website all user manuals can be found.

Life span:

The expected life span of the products is 1-5 years depending on the use, user's load and how often it is washed and dried.

Products which no longer provide sufficient support, with defect seams, broken material or other deficiencies must be discarded. This way you will always keep a sound and healthy work environment for both helper and user.

Make visual inspections frequently and preferably before every use.

Guarantee:

master care A/S provide a 2-year guarantee covering material defects and manufacturing defects if the product has been used correctly.

Unintended events and injuries when misusing the products:

Unintended events must always be reported to the appropriate National Authority and to master care A/S or the distributor in the current country.

master care A/S and our distributors take no responsibility for personal injuries or product damages if the product(-s) have been used in contravention of the by the manufacturer recommended intended purpose or proper use of the product.



master-care.dk

User Manual - Master Comfort Back Wedges

Stable or flexible positioning (one helper):



1. Use the Back Wedge and Positioning Wedge to gain stability and perceptual information when side lying. To increase the stability and position the wedges and cushions can be placed **under** the Master Turner.



2. By placing the wedges and cushions **on top** of the Master Turner you maintain the sliding abilities of the Master Turner when repositioning the user.



3. Use the Short Back Wedge during perineal care to prevent static support from the helper. This way the user can be positioned in an independent position.

Side lying with Back Wedge - Long (1 helper):



4. When positioning the user in a 30 degrees side lying position the Back Wedge - Long gives the perfect support. Place it with the less steep side towards the user's back.



5. When positioning the user in a side lying position use the Back Wedge - Long with the **steeper** side towards the user's back. This gives the user the most optimal stability and perceptual information.

Support and stability with Back Wedge - Long (1 helper):



6. Back Wedge - Long can be used along the legs to give support or a well-defined sense of the surroundings especially for people with perceptual impairments, dystonia, or dementia.



7. Place the Back Wedge under the knees with the less steep side towards the thighs. The soft top and the stabile core give perfect relieve to the knees and legs.

User Manual - Master Comfort Back Wedges

Technical Specifications

Materials:

Cover: Flame retardant, elastic and waterproof polyester

Contents: PU-foam, viscoelastic foam.

ISO certifications:

DS/EN ISO 12952-1:2010

Textiles – Assessment of the ignitability of bedding items – Part 1: Ignition source: Smouldering cigarette.

DS/EN ISO 12952-2:2010

Textiles – Assessment of the ignitability of bedding items – Part 2: Ignition source: Match-flame equivalent.

Article no. - Product Name

Size:

MC 001-8070 Master Comfort Back Wedge - Short	L 30 x W 30 x H 25 cm
MC 001-8075 Master Comfort Back Wedge - Long	L 60 x W 30 x H 25 cm

WARNINGS



Never leave the product on the floor.



The use of pillows and wedges can't replace the need of frequent repositioning and daily skin assessment.



Make sure that all relevant brakes are activated before transferring the user.



CE-certification:

This product is CE-approved and follows the harmonized standards. This means that the products are in compliance with the essential health and safety directives. The product(-s) comply with the standards in the Medical Device Regulation (EU) 2017/745 – class 1.



Washing:

The cover of this product can be washed in a washing machine at max 85 °C, but gentle disinfection with alcohol is preferable to prolong the durability. Gentle washing significantly prolongs the durability.



Detergents pH level:

This product tolerates detergents / disinfectants with a pH level between 5-9.



Fabric softener:

Never use fabric softener as this will reduce the sliding properties significantly.



Dry Tumbling:

This product may only be dry tumbled gently and at max. 40 °C. Airdrying prolongs the durability significantly.



Surface cleaning:

The surface of this product can be cleaned with a wet cloth and soap.



Disinfectants:

This product tolerates alcoholic disinfectants with a pH level between 5-9.



Maintenance:

Make frequent visual inspections to check that the non-skid is fully functional and that the zipper, the incontinence surface, and all seams are intact before use. Make tactile inspection to check the pressor absorption of the foam. Discard the product if it has deficiencies.



Ironing:

Do not iron.



Dry cleaning:

Do not dry clean.



Bleach:

Do not bleach.



User Manual:

Always read the User Manual thoroughly before using the product.



Disposal:

Always make sure to follow local guidelines when disposing or discarding the product.

For more information, videos Quick Guide etc., visit www.master-care.dk

Find us on:

